

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	3	"20020143885"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 14:06
L11	2	"20030077097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 14:36
L12	3	"20020143885"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:00
L13	3	"20030189599"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 15:01
S1	510	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 16:48
S2	19	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with ("same" adj (pc apparatus computer server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 16:50
S3	28	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server) with simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:01

S4	3	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server) and (active activat \$3) near3 session with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:38
S5	169	display\$3 with (active near3 session) with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:43
S7	86	S5 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:46
S8	3	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server) and active near3 session with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:52
S9	56	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server) and (activat\$3 active) with user with display \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:53
S10	17	S9 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/04 17:53
S11	1	(plural\$3 many different several various multiple) near2 user with (login logon log-in log-on log adj (in on)) with (pc apparatus computer server station) with simultaneous\$2 same (operat \$3 with display\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 09:56

S12	36	activat\$3 with (service program) with detect\$3 with error same (user logon login log-in log-on log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:12
S13	21	S12 and (@rlad<"20020829"@ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:13
S14	1	activat\$3 with (service program) with print\$3 with detect\$3 with error same (user logon login log-in log-on log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:14
S15	1	activat\$3 with (service program) with detect\$3 with error same (user logon login log-in log-on log adj (in on)) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:14
S16	4	activat\$3 with (service program) with detect\$3 with error with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:15
S17	2	"20030077097"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:17
S18	304	(service program) with detect \$3 with error with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:30
S19	56	(service program) with detect \$3 with error with print\$3 same (user logon login log-in log-on log adj (in on)) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:31

S20	56	(service program) with detect \$3 with error with print\$3 same (authenticat\$3 user logon login log-in log-on log adj (in on)) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:31
S21	31	S20 and (@rlad<"20020829"@ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:31
S22	0	(service program) with detect \$3 with error with print\$3 same (authenticat\$3 logon login log-in log-on log adj (in on)) same print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:33
S23	0	(service program) with detect \$3 with error with print\$3 same (authenticat\$3 logon login log-in log-on log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:34
S24	25	detect\$3 with error with print \$3 same (authenticat\$3 logon login log-in log-on log adj (in on))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:34
S25	11	S24 and (@rlad<"20020829"@ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 15:34
S26	2	"6807666".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:15
S27	3	"20020103885"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/05 16:16

S28	24	(notif\$ display\$3) with ((job file document) near2 (status error)) with (print\$3 copy\$3 copier fax) with interrupt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:38
S29	17	S28 and (@ad<"20020829" @rlad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/25 13:40
S30	21	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3) near3 display\$3 with notif\$ with print\$3 with (error job message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 09:27
S31	9	S30 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 09:28
S32	682	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3 display\$3 overwrit\$3) with notif\$ with print\$3 with (error job message) same (user ID userID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 10:45
S33	593	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3 display\$3 overwrit\$3) with notif\$ with print\$3 with (error job message) with (user ID userID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 10:45
S34	35	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3 overwrit\$3) with notif\$ with print\$3 with (error job message) with (user ID userID) with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 10:45
S35	22	S34 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 10:46
S36	2	US-6025925-\$.DID. OR US- 6130757-\$.DID.	US-PGPUB; USPAT; USOCR; JPO; IBM_TDB	OR	ON	2009/06/26 10:54

S37	2	"5206735".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 10:58
S38	2	"5239648".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 11:09
S39	2	"6025925".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 11:24
S40	6	("5206735" "5239648" "5832301" "6025925" "6130757" "6332170").PN. OR ("7190469").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/26 11:36
S41	274	S33 and (@!ad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 11:42
S42	44	(interrupt\$3 pop-up pop\$4 appear\$3 activat\$3 flash\$3 overwrit\$3) with notif\$ with print\$3 with (error job message) with (user ID user!D) with (display\$3 screen)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 11:43
S43	22	S42 and (@!ad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 11:46
S44	23	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3 display\$3 overwrit\$3) with notif\$ with print\$3 with (error job message) same (different other second next plural\$3 many multiple) near2 (user ID user!D)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 13:52

S45	10	S44 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 13:52
S46	149	(interrupt\$3 pop-up pop\$4 adj up appear\$3 activat\$3 display\$3 overwrit\$3) with notif\$ with (error job message) with ((different plural\$3 many multiple another second) near2 (user ID user1D))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 13:55
S47	72	S46 and (@rlad<"20020829" @ad<"20020829")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 13:56
S48	22	"6519048"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 17:53
S49	0	"6519048.pn."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/26 17:53

6/ 29/ 2009 3:02:02 PM

C:\Documents and Settings\fzhang\My Documents\EAST\Workspaces\10522625-2.wsp